AMENDMENT Attorney Docket Q61718

line 4 after the title, delete "preamble of Claim 8" and insert)-- for generating service function modules for a signalling server which can provide signalling functions for the control of communications via a communications network, particularly of multimedia communications via a packet switching data network, - and delete "according to the"; line 5 after the title, delete "preamble of 9" and insert -- or generating service function modules with which the signalling server can provide signalling functions for the control of communications via a communications network, particularly of multimedia communications via a packet switching data network,-- and delete "according to the"; line 6 after the title, delete "preamble of Claim 10" and insert - for generating service function modules with which a signalling server can provide signalling functions for the control of communications via a communications network, particularly of multimedia communications via a packet switching data network,—{and delete "according to the"; line 7 after the title, delete "preamble of Claim 11" and insert -- for generating service function modules with which a signalling server can provide signalling functions for the control of communications via a communications network, particularly of multimedia communications via a packet switching data network--. Page 8 (as numbered) after line 18, insert the heading -- Summary of the Invention--. lines 25-31 delete in their entirety and insert: -- This object is attained by a process for generating service function modules for a

signalling server which can provide signalling functions for the control of communications via a

communications network, particularly of multimedia communications via a packet switching

AMENDMENT Attorney Docket Q61718

AG IT

data network, for making available procedure modules for capturing, processing, and forming signalling messages of a communications network by means of a configuration server; for displaying the procedure modules in the form of symbols via a user interface on the configuration server; for capturing a user-defined selection and arrangement of the symbols of the procedure modules on the user interface, for combining the procedure modules by means of the configuration server to form a service function module in a manner defined by the selection and arrangement of the respective symbols of the procedure modules on the user interface; and making available the service function module by the configuration server for the signalling server.

This object is further attained by a configuration server for generating service function modules for a signalling server which can provide signalling functions for the control of communications via a communications network, particularly of multimedia communications via a packet switching data network, wherein the configuration server comprises first provision means designed to enable the configuration server to make available procedure modules for capturing, processing, and forming signalling messages of a communications network, wherein the configuration server comprises a user interface designed to enable the configuration server to display the procedure modules in the form of symbols, wherein the configuration server comprises capture means designed to enable the configuration server to capture a user-defined selection and arrangement of the symbols of the procedure modules on the user interface, wherein the configuration server comprises combining means designed to enable the configuration server to combine the procedure modules into a service function module in a manner defined by the selection and arrangement of the respective symbols of the procedure modules on the user interface, and wherein the configuration server comprises second provision means designed to enable the configuration server to make available the service function module for the signalling server.

The object is further attained by a signalling server for generating service function modules with which the signalling server can provide signalling functions for the control of communications via a communications network, particularly of multimedia communications via

AMENDMENT Attorney Docket Q61718

AGNLL CONLL

a packet switching data network, wherein the signalling server comprises first provision means designed to enable the signalling server to make available procedure modules for capturing, processing, and forming signalling messages of a communications network, wherein the signalling server comprises a user interface designed to enable the signalling server to display the procedure modules in the form of symbols, wherein the signalling server comprises capture means designed to enable the signalling server to capture a user-defined selection and arrangement of the symbols of the procedure modules on the user interface, wherein the signalling server comprises combining means designed to enable the signalling server to combine the procedure modules into a service function module in a manner defined by the selection and arrangement of the respective symbols of the procedure modules on the user interface, and wherein the configuration server comprises second provision means designed to enable the signalling server to make the service function module available for execution.

This object is further attained by a computer program for generating service function modules with which a signalling server can provide signalling functions for the control of communications via a communications network, particularly of multimedia communications via a packet switching data network, wherein the computer program contains a code with which the steps of the process for generating service function modules described above, can be executed when the computer program is run on a computer.

This object is further attained by a storage medium for generating service function modules with which a signalling server can provide signalling functions for the control of communications via a communications network, particularly of multimedia communications via a packet switching data network, wherein the storage medium can be read by a computer and contains a computer program code with which the steps of the process for generating service function modules described above, can be executed when the computer program is run on a computer.--